

Ecosystem Services Delivery of SuDS Ponds

Biodiversity-Nutrient Cycling-Pollution Control & Detoxification Case Study: Newcastle Great Park SuDS Pond

FACTSHEET

Project area: Intended readership: SuDS, Ecosystem Services, Biodiversity, Nutrient Cycling, Pollution Control Practitioners, academics, interest groups

A natural approach to urban water management - SuDS and their ecosystem services

This research aimed to look at the ecosystem services delivered by SuDS ponds and to provide possible performance indicators. Using a case study in Newcastle (UK), an established SuDS pond was surveyed to evaluate biodiversity, nutrient cycling, pollution control and detoxification services delivery performance.

An increase in impermeable surfaces and surface water runoff can have serious impacts on the hydrology of catchments, and the quality of the habitat in these catchments. SuDS are designed to introduce sustainability into surface water runoff management.

In order to evaluate these ecosystem services performances, two surveys a month apart were undertaken.

Suggested performance indicators at the Newcastle Great Park (NGP) SuDS Pond

SuDS ecosystem services are highlighted through the publication of *Millennium Ecosystem Assessments* reports. Since these publications, there has been acknowledgement of the knowledge gap in understanding of ecosystem performance, particularly of natural and artificial systems such as SuDS devices. The NGP case study was used to *propose and test effective ecosystem service performance indicators*. Indicators were selected from the range presented in the Millennium Ecosystem Assessment reports (presented in adjacent table).

This case study tested *biotic and entomological ecosystem service parameters* to examine their usefulness in quantifying SuDS pond ecosystem service performance.

Field survey parameters across NGP were: benthic macroinvertebrates; transect vegetation abundance and species; phosphorus, lead, cadmium and zinc concentrations in deposited sediment.

Ecosystem Services	Suggested Performance Indicators	Units	
	Storage Capacity	m ³	
Freshwater	Service Provision	m³/d	
	Evoporation	mm/d	
	Precipitation	mm/d	
	Species Abundance	%	
Biodiversity	Species Richness	No Unit	
	Species Diversity	No Unit	
	Species Evenness	%	
	Soil's Infiltration Rate	mm/h	
Hydrological Flows	Storage Capacity	m³	
	Retention Time	h	
Natural Hazards	Storage Capacity	m ³	
	Soil's Infiltration Rate	mm/h	
	Soil's Water Storage Capacity	cm	
	Retention Time	h	
	Heavy Metal conc. in Sediment	mg/kg	
Pollution Control &	Heavy Metal conc. in Water Body	mg/L	
Detoxification	Retention Time	h	
	BMWP - ASPT	No Unit	
Proventional	Number of Users	Quantity	
Recreational	Reduced Level of Mortality	%	
Aesthetics	Increase in House Prices	%	
	Nutrient Content of Water	mg/L	
Nutrient Cycling	Nutrient Content of Sediment	mg/kg	
	Nutrient Uptake of Vegetation	mg/d	
- 11	Flowering Plants Abundance	%	
Pollination	Pollinator MI abundance	%	

Suggested Performance Indicators for Ecosystem Services of SUDS Ponds



bluegreencities.ac.uk









Biodiversity

Results from the biodiversity sampling of the NGP pond identified that:

- Species richness increased through the pond (greatest species number was close to the SuDS pond outlet)
- Species numbers were higher in heavily vegetated sections of the pond compared to the open water areas
- Species evenness was greater than 0.5, indicating an even distribution of species across the SuDS pond

The pond is generally seen to be supporting an acceptable level of vegetation (according to the DAFOR scale) and macroinvertebrate species (BMWP and ASPT scoring) and appears to provide beneficial ecosystem improvement to support increasing species richness (inlet:outlet) while maintaining a relatively even occurrence of each species type.



P Content of Sediments

Nutrient Cycling (P)

UK contaminated land standards indicate that the threshold level for P in the soil is 16 mg/kg; for all sampling points in the NGP SuDS pond, the P content of the sediment is below the threshold level, which indicates that there is no contamination caused by phosphorus.

AND	et al			1 2	
Contraction of the second	0	•		and the second	-
and the second			A same	Vit	flow direction
Contraction of the second		Frankel V			- Ouseburn
A DAY AND A DAY AND A	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	6.		Eleter Y	NGP pond outli
Contraction of the second s	dama del anti de			A STATISTICS AND A STATISTICS	Pb_June
A REAL PROPERTY OF	Legend		Alter and	and the second second	«VALUE»
And all all and a		invertebrate sampling points		The star free and	0 - 0,6
		metal and prosphorus sedment sampling points	Contraction of the	Contest and and	0.61 - 1.2
a state of the state	- Outer		And Antonio and Antonio and	and the second	1.81 - 2.4
A State of the state of the	NOF;	and outline	0 5 10 20 30 40	A CARACTORY	2.41 - 3
No. of Concession, Name	and a	Legend	at The second	and a second	Legend
Read and a second s		flow direction	See	NO.	now direction
		Ouseburn			Ouseburn
A STREET STREET	10000	NGP pond outline		436 Tra	NGP pond out
Carlo de Se	Galaria Star	Zn_June	A CONTRACTOR	ALS PROVIDENCE	Cd_June
	and the second s	CALCES	A State of the	A CARE AND	<value></value>
The second second	The Part of the Part of the	0.81 - 1.1		The Hardwood by	5 - 14
H Children and Children	10 Stall 01 140	LII-L4	Contraction of the second	Carl Contract	23.01 - 23
Land and the second	100 100 100	1.41 - 1.7	The second second	100 100	23.01 - 32
CHARLEN CLARKER CONTRACTOR					

Sampling Points and Pb, Zn and Cd Content of Sediments

SP ID	Cd (mg/kg)	Level of Contamination
1	46	Heavy Contamination
2	24	Heavy Contamination
4	23	Heavy Contamination
5	5	Contamination
7	9	Contamination
SP ID	Pb (mg/kg)	Level of Contamination
1	2.7	Uncontaminated
2	0.7	Uncontaminated
4	0	Uncontaminated
5	0.2	Uncontaminated
7	0.7	Uncontaminated
SP ID	Zn (mg/kg)	Level of Contamination
1	0.5	Uncontaminated
2	0.6	Uncontaminated
4	1.1	Uncontaminated
5	1.9	Uncontaminated
7	0.5	Uncontaminated

Cd, Zn and Pb contents and contamination level of sediments according to Kelly Guidelines for Classification of Contaminated Soils (1979)

Pollution Control & Detoxification

The analysis of the heavy metal content of the sediment in the pond indicates that the pond is actively retaining heavy metals.

- Cadmium (Cd) content is found to increase between the inlet and outlet, with the greatest Cd concentration just upstream from the controlled outflow point.
- Zinc (Zn) concentration was highest within the high density vegetation sections of the pond and decreases along the length of the heavily vegetated flow path.
- Lead (Pb) content displayed a similar trend to Cd and was found across the pond. Pb was found to settle downstream from the open water section of the pond.

Blue-Green Cities in an interdisciplinary research consortium made up of partners from UK and international universities, government bodies and practitioners supported by:

Research team: Heriot-Watt University: Deonie Allen, Onur Sengul Dr L Beevers, Dr H Haynes, Dr S Arthur



EPSRC Engineering and Physical Sciences **Research** Council EP/K013661/1





